

# Eaton SDR-RINT

Catalog Number: SDR-RINT

Eaton internal intruder alarm sounder, Radio Internal Sounder white



## General specifications

Product Name	Catalog Number
Eaton internal intruder alarm sounder	SDR-RINT
EAN	Product Length/Depth
5060096853916	50 mm
Product Height	Product Width
127 mm	127 mm
Product Weight	Compliances
0.27 kg	CE marking

## Product specifications

### Operating humidity - max

95 %

### Degree of protection (NEMA)

Other

### Compliance

Independently certified to EN50131 & INCERT

### Operating temperature - min

-10 °C

### Remote self test function

No

### Supply

6 V

### Mounting Method (ETIM)

Surface mount

### Current normal

0.03 mA

### Enclosure/lens color

White

### Low-volume mode

Yes

### Built-in transformer

No

### Typical battery life

12 monthly

### Radio frequency

868.6625MHz

### Operating temperature - max

55 °C

### Replacement battery code

4 x AA Alkaline

### Degree of protection (IP)

Other

### EN 50131 Security Grade

2

### Type Of Tone

## Resources

### Catalogues

[Residential and commercial security systems catalogue](#)

[Wireless speaker - Datasheet](#)

### PEP Eco-passport

[EATO-00038-V01.01-EN](#)

Multi-tone

Type Of Tone (ETIM)

Other

Electricity consumption

0.03 A

Cut-off period

Auto-silences after 3 minutes if powered only by batteries

Connection

Radio

Type of current

DC

Housing material

Plastic

Sounder output

80 dB

Sounder type

Internal

Enclosure material

ABS (cover) Polycarbonate (lens)

Free space radio range

500 m

Environmental class

Not applicable



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2023 Eaton. All rights reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia